

# Foam-Control® EPS Holey Board

## Superior moisture resistance and stable R-Value to protect your insulation integrity.

Foam-Control EPS is a cost-effective, durable, and energy efficient solution for insulation applications. It is an ideal material to stop energy loss. Foam-Control EPS for use in lightweight insulation concrete roofing systems reduce the requirement for concrete and overall weight.

### Advantages.

- Lightweight with high strength
- Excellent adhesion to concrete
- No long-term R-value loss or thermal drift
- No CFC, HCFC, HFC, or formaldehyde
- Superior moisture resistance

### Benefits.

Cost effective thermal design is among the highest priorities in construction. Foam-Control EPS insulation products are available in a range of densities necessary to provide energy efficiency, structural integrity, and cost effectiveness. They are proven to lower energy costs, saving both money and precious resources.

### R-Value<sup>1</sup>.

ASTM C578	1"	2"	3"	4"	6"	8"
Type XI	3.4	6.8	10.2	13.6	20.4	27.2
Type I	4.2	8.4	12.6	16.8	25.2	33.6
Type VIII	4.4	8.8	13.2	17.6	26.4	35.2
Type II	4.6	9.2	13.8	18.4	27.6	36.8
Type IX	4.8	9.6	14.4	19.2	28.8	38.4


<sup>1</sup> Design R-value at 40°F mean temperature

### Sizes and Shapes.

Foam-Control EPS Holey Board is typically provided in 2' x 4' or 4' x 4' boards with thickness from 1" to 12". Standard configurations are 6 or 8 holes per board. Custom sizes and configurations are available.



# EPS



## CONTROL, NOT COMPROMISE.

### Foam face-off: Choosing Foam-Control EPS Holey Board provides many additional benefits.

- EPS can easily vary density, thickness, and size to meet project R-values
- EPS can easily be fabricated for tapering
- Available with 6 or 8 holes per board
- No CFC, HCFC, HFC, or formaldehyde in Foam-Control EPS
- No long-term R-value loss or thermal drift

## Proven to meet, or exceed, building codes.

Foam-Control EPS is manufactured to Quality Control Program standards monitored by Underwriters Laboratories, Inc. and recognized by national building codes. Foam-Control EPS manufacturers offer product warranties that ensure thermal performance, physical properties, and termite resistance. Foam-Control EPS can stand up to all industry tests— and has. No other EPS can say that.



## Foam-Control EPS Roof Insulation means control, not compromise.

Foam-Control EPS Roof Insulations are engineered to give you the greatest possible control for your roofing system application: from design and timelines, to materials and costs, and—ultimately—control over your results.

In the roofing industry, Foam-Control EPS Roof Insulations are among the most versatile, energy efficient, and cost effective insulators available, delivering extremely high, stable R-values. Depend on Foam-Control EPS to do the job.

## Ready to take control? Start here.

If you're starting to wonder how Foam-Control EPS roof insulation can contribute to your next project, here's how to find out: Just contact your nearest Foam-Control EPS manufacturer. They'll be happy to give you a design consultation, information about Foam-Control EPS roof insulation products, pricing, calculating insulation requirements and slope design, and the answers to all your questions.

## Specifications and Installation Guidelines.

Contact a sales rep and download Foam-Control EPS documentation at [www.foam-control.com](http://www.foam-control.com). Please consult Foam-Control EPS Roof Insulations TechData for complete Specifications and Installation guidelines.



**BIG SKY INSULATIONS, INC**

**15 Arden Drive | P.O. Box 838  
Belgrade, MT 59714**

**(406) 388-4146 | (800) 766-3626 | Fax (406) 388-7223**

**Email: [answers@bigskyrcontrol.com](mailto:answers@bigskyrcontrol.com)**

**Website: [www.BigSkyRControl.com](http://www.BigSkyRControl.com)**



Foam-Control EPS products are manufactured by AFM Corporation licensees.

Copyright © 2008 AFM Corporation. All rights reserved. Printed in USA. Foam-Control EPS is a registered trademark of AFM Corporation, Burnsville, MN.

ICC ES logo is a registered trademark of ICC Evaluation Service, Inc.

UL logo is a registered trademark of Underwriters Laboratories Inc.

USGBC logo is a registered trademark of U.S. Green Building Council.

R05-12/08



**CONTROL,  
NOT COMPROMISE.**